C-MART TOOLS



Fastening tools

C Series

TAIWAN C-MART PRACTICAL TOOLS CO., LTD. / SHANGHAI C-MART TOOLS CO., LTD.

Caulking gun

• All metal construction

ITEM NO.	SIZE	BOX(CTN/PCS)
C0001-09	225mm/9"	8/32

Caulking gun

• All metal construction

ITEM NO.	SIZE	BOX(CTN/PCS)
C0002-09	225mm/9"	8/32

Caulking gun

• All metal construction

ITEM NO.	SIZE	BOX(CTN/PCS)
C0003-09	225mm/9"	8/32

Caulking gun

• All metal construction

ITEM NO.	SIZE	BOX(CTN/PCS)
C0004-09	225mm/9"	8/32

Heavy duty caulking gun

• All metal construction

ITEM NO.	SIZE	BOX(CTN/PCS)
C0005-09	225mm/9"	

Caulking gun - aluminum pipe

ITEM NO.	SIZE	BOX(CTN/PCS)
C0006-09	225mm/9"	6/24
C0006-15	375mm/15"	6/12

Rosin core solder

ITEM NO.	SIZE	BOX(CTN/PCS)
C0013-16	16g	-/-
C0013-250	200g	-/-
C0013-500	400g	10/40

Desoldering pump

ITEM NO.	SIZE	BOX(CTN/PCS)
C0014-08	200mm/8"	24/240

Soldering iron

ITEM NO.	SIZE	BOX(CTN/PCS)
C0016-30	30W	8/64
C0016-40	40W	8/64
C0016-60	60W	8/64
C0016-80	80W	8/64

Soldering iron

ITEM NO.	SIZE	BOX(CTN/PCS)
C0171-80	80W	8/48
C0171-100	100W	8/48
C0171-150	150W	8/48
C0171-200	200W	6/24
C0171-300	300W	6/24

Soldering iron

• Special treated tip, stainless steel pipe,
• Heat resistant plastic handle.
• A bonus stand included

ITEM NO.	SIZE	BOX(CTN/PCS)
C0017-30	30W	8/80
C0017-40	40W	8/80
C0017-60	60W	8/80
C0017-80	80W	8/80
C0017-100	100W	8/80

Soldering iron replacement parts

ITEM NO.	SIZE	BOX(CTN/PCS)
C0017A-30	30W	100/-
C0017A-40	40W	100/-
C0017A-60	60W	100/-
C0017A-80	80W	100/-
C0017A-100	100W	100/-
C0016A-30	30W	2/-
C0016A-40	40W	2/-
C0016A-60	60W	2/-
C0016A-80	80W	2/-

Soldering iron replacement parts

ITEM NO.	SIZE	BOX(CTN/PCS)
C0017B-30-Z	Z-Straight tips 30W	100/-
C0017B-40-Z	Z-Straight tips 40W	100/-
C0017B-60-Z	Z-Straight tips 60W	100/-
C0017B-80-Z	Z-Straight tips 80W	100/-
C0017B-100-Z	Z-Straight tips100W	100/-
C0017B-30-W	W-Bent tips 30W	100/-
C0017B-40-W	W-Bent tips 40W	100/-
C0017B-60-W	W-Bent tips 60W	100/-
C0017B-80-W	W-Bent tips 80W	100/-
C0017B-100-W	W-Bent tips 100W	100/-

Heater core for hot air bolwer



ITEM NO.	SIZE	BOX(CTN/PCS)
C0018A-1600	1600W	1/-
C0018A-2000	2000W	1/-
C0181A-1600	1600W	1/-
C0181A-1800	1800W	1/-

HOT AIR BLOWER

- Hot air blower widely applied in various industries
- Powerful element provides sufficient heat for removal of paints and varnish, thawing of frozen pipes, heating shrink tubes and welding copper tube etc
- Variable temperature control allows selection of correct heat for a range of applications

ITEM NO.	RATED POWER	BOX(CTN/PCS)
C0018-1600	1600W	1/10
C0018-2000	2000W	1/10

Plastic welding torch

230V~ 50Hz
50-300l/min
50-550℃

ITEM NO.	RATED POWER	BOX(CTN/PCS)
C0183-700	700W	1/20

Professional hot air blower

Voltage: 220V
Temperature: 50-400℃
Air volume: Low 190-210l/min
Function: hot / cool air

Power input: 1600W
Settings: 50-550℃
High: 310-350l/min
Adjustable temperature

ITEM NO.	RATED POWER	BOX(CTN/PCS)
C0181-1600	1600W	1/10
C0181-2000	2000W	1/10

Two-step hot air blower

Voltage: 220-240V
Temperature: 400/500℃
Air flow: 550/750L/min

Power input: 1800W
Switch control: 2 Stage[Ⅰ / Ⅱ]
Cable length: 2M

ITEM NO.	RATED POWER	BOX(CTN/PCS)
C0181-1800	1800W	1/10

Digital display hot air blower

2 SPEEDS controlled air volumes, allow you to match the air speed to your application.

The LCD digital readout display allows you to monitor the temperature via a digital display when precision control is needed.

The integration temperature control IC, accurate temperature control

ITEM NO.	RATED POWER	BOX(CTN/PCS)
C0018E-1600	1600W	1/10
C0018E-2000	2000W	1/10

Hot melt glue gun

- Professional quality, suitable for gluing plastic, metal, Leather and wood. Keep in a dry place

ITEM NO.	RATED POWER	BOX(CTN/PCS)
C0019-60	60W	10/40
C0019-100	100W	10/40

Hot melt glue gun

Promotional item

ITEM NO.	RATED POWER	BOX(CTN/PCS)
C0191-60	60W	10/60

TOP QUALITY HOT AIR BLOWER

Variable temp & air flow

C0184E

2300W 50-650°C



Smart control panel



Ceramic heater core for more concentrated heat and much longer stable working time than conventional mica heater element

Japan mabuchi motor ensures 550-700 hours of operational life span

Turbo fan instead of cooling fan is used for faster and more directional airflow

TAIWAN C-MART PRACTICAL TOOLS CO., LTD.
SHANGHAI C-MART TOOLS CO., LTD.
Add：No.112 Xinchuang Road, Songjiang District, Shanghai
Free hotline: 400 820 1089 http://www.cmarttools.com

PATENTED

90 DAYS

C-MART TOOLS

Aluminium alloy hand riveter

- Suitable for aluminum rivets and stainless steel rivets.
- Four interchangable nosepieces for 2.4mm、3.2mm、4.0mm and 4.8mm rivets.

ITEM NO.	SIZE	BOX(CTN/PCS)
C0020-10	250mm/10"	6/36

Metal body hand riveter

- Suitable for aluminum rivets and stainless steel rivets.
- Four interchangable nosepieces for 2.4mm、3.2mm、4.0mm and 4.8mm rivets.

ITEM NO.	SIZE	BOX(CTN/PCS)
C0021-10	250mm/10"	6/36

Heavy duty riveter

- Suitable for aluminum rivets and stainless steel rivets.
- Four interchangable nosepieces for 2.4mm、3.2mm、4.0mm and 4.8mm rivets.

ITEM NO.	SIZE	BOX(CTN/PCS)
C0022-17	430mm/17"	1/12

Heavy duty riveter

- Suitable for aluminum rivets and stainless steel rivets.
- Four interchangable nosepieces for 2.4mm、3.2mm、4.0mm and 4.8mm rivets.

ITEM NO.	SIZE	BOX(CTN/PCS)
C0221	325mm/13"	1/18

Compact hand riveter

Industrial grade

- ※ Compact size for easy carrying
- ※ Effort-saving construction for easy operaton
- ※ Ergo-shaped double colour handle
- ※ suitable for aluminum rivets and stainless steel rivets



ITEM NO.	SIZE	BOX(CTN/PCS)
C0223	330mm	1/20

Hand riveter

- Suitable for aluminum rivets and stainless steel rivets.
- Four interchangable nosepieces for 2.4mm、3.2mm、4.0mm and 4.8mm rivets.



ITEM NO.	SIZE	BOX(CTN/PCS)
C0224	427mm	5/20

Hand riveter

C0225

C0226

- ※ Gs/tuv Approved Product.
- ※ Suitable For Aluminum Rivets And Stainless Steel Rivets.
- ※ Four Interchangable Nosepieces For 2.4mm 、3.2mm 、4.0mm And 4.8mm Rivets.



ITEM NO.	SIZE	BOX(CTN/PCS)
C0225	250mm	5/40
C0226	238mm	10/-

Professional nut riveter

10-PC SET

Mandrels and compatible nosepieces

Dismantling tool



ITEM NO.	SIZE	BOX(CTN/PCS)
C0222	M3 M4 M5 M6 M8 10 M12	1/6

Heavy duty 3 way staple gun

4-14mm (5/32"-9/16")
10-12mm (3/8"-1/2")
10mm-14mm (3/8"-9/16")

ITEM NO.	SIZE	BOX(CTN/PCS)
C0023	4-14mm	6/24

Uni-function staple gun

- Adjustable driving force.
- All steel construction. Quick jam release.

ITEM NO.	SIZE	BOX(CTN/PCS)
C0024	4-8mm	10/40

Staples



ITEM NO.	SIZE	BOX(CTN/PCS)
C0023A	11.2x8x1.2mm	1800/180000

Staples

For staple gun-C0024



ITEM NO.	SIZE	BOX(CTN/PCS)
C0024B	11.3x6x0.55mm	1800/360000

Screwdrivers



• Chrome vanadium steel, magnatized tip

ITEM NO.	SIZE	BOX(CTN/PCS)
C0030-3.275-A/B	⊕⊖3.2*75mm	12/240
C0030-3.2100-A/B	⊕⊖3.2*100mm	12/240
C0030-3.2150-A/B	⊕⊖3.2*150mm	12/240
C0030-3.2200-A/B	⊕⊖3.2*200mm	12/240
C0030-4.075-A/B	⊕⊖4.0*75mm	12/240
C0030-4.0100-A/B	⊕⊖4.0*100mm	12/240
C0030-4.0150-A/B	⊕⊖4.0*150mm	12/240
C0030-4.0200-A/B	⊕⊖4.0*200mm	12/240
C0030-5.075-A/B	⊕⊖5.0*75mm	12/240
C0030-5.0100-A/B	⊕⊖5.0*100mm	12/240
C0030-5.0125-A/B	⊕⊖5.0*125mm	12/240
C0030-5.0150-A/B	⊕⊖5.0*150mm	12/240
C0030-5.0200-A/B	⊕⊖5.0*200mm	12/240
C0030-6.075-A/B	⊕⊖6.0*75mm	12/144
C0030-6.0100-A/B	⊕⊖6.0*100mm	12/144
C0030-6.0125-A/B	⊕⊖6.0*125mm	12/144
C0030-6.0150-A/B	⊕⊖6.0*150mm	12/144
C0030-6.0200-A/B	⊕⊖6.0*200mm	12/144

Screwdrivers,Cr.Mo steel

ITEM NO.	SIZE	BOX(CTN/PCS)
C0031-6.0100-A/B	⊕⊖6.0*100mm	12/144
C0031-6.0125-A/B	⊕⊖6.0*125mm	12/144
C0031-6.0150-A/B	⊕⊖6.0*150mm	12/144
C0031-6.0200-A/B	⊕⊖6.0*200mm	12/144
C0031-6.0250-A/B	⊕⊖6.0*250mm	12/144

Screwdrivers

• Chrome vanadium steel, magnatized tip

編號	規格	盒箱(支)
C0032-3.250-A/B	⊕⊖3.2*50mm	12/480
C0032-3.275-A/B	⊕⊖3.2*75mm	12/480
C0032-3.2100-A/B	⊕⊖3.2*100mm	12/480
C0032-3.2150-A/B	⊕⊖3.2*150mm	12/480
C0032-3.2200-A/B	⊕⊖3.2*200mm	12/480
C0032-5.075-A/B	⊕⊖5.0*75mm	12/240
C0032-5.0100-A/B	⊕⊖5.0*100mm	12/240
C0032-5.0125-A/B	⊕⊖5.0*125mm	12/240
C0032-5.0150-A/B	⊕⊖5.0*150mm	12/240
C0032-5.0200-A/B	⊕⊖5.0*200mm	12/192
C0032-5.0250-A/B	⊕⊖5.0*250mm	12/144
C0032-5.0300-A/B	⊕⊖5.0*300mm	12/144
C0032-6.040-A/B	⊕⊖6.0*40mm	12/240
C0032-6.075-A/B	⊕⊖6.0*75mm	12/240
C0032-6.0100-A/B	⊕⊖6.0*100mm	12/240
C0032-6.0125-A/B	⊕⊖6.0*125mm	12/240
C0032-6.0150-A/B	⊕⊖6.0*150mm	12/240
C0032-6.0200-A/B	⊕⊖6.0*200mm	12/192
C0032-6.0250-A/B	⊕⊖6.0*250mm	12/144
C0032-6.0300-A/B	⊕⊖6.0*300mm	12/144
C0032-8.0150-A/B	⊕⊖8.0*150mm	12/120
C0032-8.0200-A/B	⊕⊖8.0*200mm	12/120

Impact screwdrivers

• Chrome vanadium steel, magnatized tip

ITEM NO.	SIZE	BOX(CTN/PCS)
C0033-6.0100-A	⊕Ph2 6.0*100mm	12/120
C0033-6.0150-A	⊕Ph2 6.0*150mm	12/120
C0033-8.0150-A	⊕Ph3 8.0*150mm	12/72
C0033-8.0200-A	⊕Ph3 8.0*200mm	12/72
C0033-8.0250-A	⊕Ph3 8.0*250mm	12/72
C0033-8.0300-A	⊕Ph3 8.0*300mm	12/72
C0033-6.0100-B	⊖6.0*100mm	12/120
C0033-6.0150-B	⊖6.0*150mm	12/120
C0033-8.0150-B	⊖8.0*150mm	12/72
C0033-8.0200-B	⊖8.0*200mm	12/72
C0033-8.0250-B	⊖8.0*250mm	12/72
C0033-8.0300-B	⊖8.0*300mm	12/72

Screwdriver-torx head

ITEM NO.	SIZE	BOX(CTN/PCS)
C0341-T08	T8	12/96
C0341-T09	T9	12/96
C0341-T10	T10	12/96
C0341-T15	T15	12/96
C0341-T20	T20	12/96
C0341-T25	T25	12/96
C0341-T27	T27	12/96
C0341-T30	T30	12/96
C0341-T40	T40	12/96

Screwdrivers

• Chrome vanadium steel, magnatized tip

編號	規格	盒箱(支)
C0034-3.075-A/B	⊕⊖3.0*75mm	12/120
C0034-3.0100-A/B	⊕⊖3.0*100mm	12/120
C0034-3.0125-A/B	⊕⊖3.0*125mm	12/120
C0034-3.0150-A/B	⊕⊖3.0*150mm	12/120
C0034-3.0200-A/B	⊕⊖3.0*200mm	12/120
C0034-5.075-A/B	⊕⊖5.0*75mm	12/120
C0034-5.0100-A/B	⊕⊖5.0*100mm	12/120
C0034-5.0125-A/B	⊕⊖5.0*125mm	12/120
C0034-5.0150-A/B	⊕⊖5.0*150mm	12/120
C0034-5.0200-A/B	⊕⊖5.0*200mm	12/120
C0034-5.0250-A/B	⊕⊖5.0*250mm	12/120
C0034-5.0300-A/B	⊕⊖5.0*300mm	12/120
C0034-6.040-A/B	⊕⊖6.0*40mm	12/120
C0034-6.075-A/B	⊕⊖6.0*75mm	12/120
C0034-6.0100-A/B	⊕⊖6.0*100mm	12/120
C0034-6.0125-A/B	⊕⊖6.0*125mm	12/120
C0034-6.0150-A/B	⊕⊖6.0*150mm	12/120
C0034-6.0200-A/B	⊕⊖6.0*200mm	12/120
C0034-6.0250-A/B	⊕⊖6.0*250mm	12/120
C0034-6.0300-A/B	⊕⊖6.0*300mm	12/120
C0034-8.0150-A/B	⊕⊖8.0*150mm	12/120
C0034-8.0200-A/B	⊕⊖8.0*200mm	12/120
C0034-8.0250-A/B	⊕⊖8.0*250mm	12/120
C0034-8.0300-A/B	⊕⊖8.0*300mm	12/120

Insulation screwdrivers

• Chrome vanadium steel, magnatized tip

ITEM NO.	SIZE	BOX(CTN/PCS)
C0035-PH075-A	⊕PH0*75mm	12/96
C0035-PH1100-A	⊕PH1*100mm	12/96
C0035-PH2100-A	⊕PH2*100mm	12/96
C0035-3.0100-B	⊖3.0*100mm	12/96
C0035-5.0125-B	⊖5.0*125mm	12/96
C0035-6.5150-B	⊖6.5*150mm	12/96

Precision screwdrivers

ITEM NO.	SIZE	BOX(CTN/PCS)
C0038-1.2	⊖1.2mm	36/720
C0038-1.4	⊖1.4mm	36/720
C0038-1.8	⊖1.8mm	36/720
C0038-2.0	⊖2.0mm	36/720
C0038-2.4	⊖2.4mm	36/720
C0038-3.0	⊖3.0mm	36/720

Two way screwdrivers-slotted & philips

• Chrome vanadium steel, magnatized tip

ITEM NO.	SIZE	BOX(CTN/PCS)
C0041-6.340	6.3*40mm/1.5"	12/120
C0041-6.3100	6.3*100mm/4"	12/120
C0041-6.3125	6.3*125mm/5"	12/120
C0041-6.3150	6.3*150mm/6"	12/120
C0041-6.3200	6.3*200mm/8"	

6 in 1 screwdriver set CR-V.

※ SLOTTED: 5mm 6mm
※ PHILLIPS: PH1 PH2
※ NUT DRIVER: 6mm 8mm

Including:
2pcs bits
6.3x65mm (+)PH1x(-)3/16
8x75mm (+)PH2x(-)1/4



ITEM NO.	SIZE	BOX(CTN/PCS)
C0039	6 in 1	

6-pc screwdriver set

• Screwdriver bits made of carbon steel heat treated.
• Chrome plated handle with swivel cap.
• For electronics,watches and hobby

ITEM NO.	SIZE	BOX(CTN/PCS)
C0025	#1, #0, 1.4mm, 2.0mm 2.4mm, 3.0mm	12/108

16-pc precision screwdriver & set

14PC BITS:
PH000,PH00,PH0,PH1
T5,T6,T7,T8,T9
1.5 2.0 2.5 3.0 4.0mm
1PC BIT DRIVER
1PC EXTENSION BAR

ITEM NO.	SIZE	BOX(CTN/SET)
C0027	16-pc set	6/24

Smart phone repair tool kit

PH00 PH000
T4 T5
T8 T10
0.8mm 2.0mm
T6 T7
1.2mm 2.0mm

ITEM NO.	SIZE	BOX(CTN/set)
C0028	17-PC SET	

8-pc impact screwdriver set

36mm length S2 driver bits
PH1 PH2 SL7 SL8
75mm length S2 driver bits
PH 2 SL 8
MPACT SCREWDRIVER

ITEM NO.	SIZE	BOX(CTN/set)
C0029	8-pc set	1/20

6-pc screwdriver set

3.5 x 75mm
4 x 100mm
6 x 150mm
3.5 x 60mm Ph0
5 x 100mm Ph1
6 x 125mm Ph2
鉻釩鋼,附磁頭

• Chrome vanadium steel, magnatized tip

ITEM NO.	SIZE	BOX(CTN/SET)
C0036	6-PC SET	6/48

7-pc insulation screwdriver set

3.0 x 100mm 5.0 x 125mm
6.5 x 150mm
Ph0 3.0 x 75mm Ph1 5.0 x 100mm
Ph2 6.5 x 100mm

• Chrome vanadium steel, magnatized tip

ITEM NO.	SIZE	BOX(CTN/SET)
C0351	7-pc set	1/24

8-pc screwdriver set

Ph2x38mm Ph1x75mm
Ph2x100mm Ph2x150mm
6x38mm 5x75mm 6x100mm 6x150mm

ITEM NO.	SIZE	BOX(CTN/set)
C0361	8-pc set	1/11

8-pc screwdriver set

T8x75mm T10x100mm T15x100mm
T20x100mm T25x100mm T27x115mm
T30x125mm T40x150mm

ITEM NO.	SIZE	BOX(CTN/set)
C0362	8-pc set	1/11

7pc precision screwdriver set

0.8mm
PH000
1.2mm
T5 T6

Bits made of chrome vanadium steel
Aluminum handle for better performance.
Ideal tool for maintenance of smart phones, i-pad,cameras,watches and glasses
One magnetizer/demagnetizer included

Bits made of chrome vanadium steel

ITEM NO.	SIZE	BOX(CTN/SET)
C0050	7-pc set	12/48

31pc precision ratchet screwdriver set

ITEM NO.	SIZE	BOX(CTN/SET)
C0051	31-PC SET	6/24

C0042

HEAVY-DUTY ELECTRIC SCREWDRIVER

High efficiency taiwan servo motor
Stepless speed regulating start switch
Replaceable carbon brush greatly prolongs its durability
Stepless torque adjustment

Input voltage: AC 200-240V
Torque range: 5-60kgf.cm
No load speed: 900rpm ± 10%
Repeat torque accuracy: ± 0.5%

Applicable screws: 2 – 8mm
Noise degree: 65dB(A)
Weight: 0.8kg

C0431 SEMI-AUTO ELECTRIC SCREWDRIVERS

ITEM#	INPUT VOLTAGE (AC/DC-V)	OUTPUT TORQUE (kgf.cm)	NO LOAD SPEED (r/min)	BITS APPLICABLE (mm)
C0431-04	DC-36V	2~15	1300	⌀4
C0431-05	DC-36V	2~25	1400	⌀5
C0431-06	DC-36V	3~35	1100	⌀6
C0431-1/4	DC-36V	3~35	1100	⌀5.5 1/4

C0043 | C0044 | C0045 SEMI-AUTO | FULL-AUTO | AC-DIRECT PLUG-IN

ELECTRIC SCREWDRIVER COMPONENT DIAGRAM



NO.	NAME	QUANTITY	NO.	NAME	QUANTITY	NO.	NAME	QUANTITY	NO.	NAME	QUANTITY	NO.	NAME	QUANTITY
1	Bit	1	9	Washer	1	17	Flat bearings	1	25	Connector bar	1	33	Press button spring	1
2	Lock sleeve	1	10	Cabinet	1	18	Bearing pedestal	1	26	Motor	1	34	Press button	1
3	Lock sleeve spring	1	11	Main axle	1	19	Circlip	1	27	Riversible switch cap	1	35	Hanging ring	1
4	Torque adjustment sleeve	1	12	Front bearing	1	20	Planet carrier	1	28	Riversible switch	1	36	Cable only	1
5	Position pins	3	13	Rear bearing	1	21	Planet gear	6	29	Circuit board	1	Accessory1	Speed adjustable power cable(optional)	1
6	Torque block	1	14	Circlip	1	22	Planet carrier	1	30	Start switch	1			
7	Washer	1	15	Rolling bearings	2	23	Washer	1	31	Handle cap	1			
8	Torque spring	1	16	Inner gear sleeve	1	24	Motor gear	1	32	Double-color handle	1			

PATENTED ELECTRIC SCREWDRIVERS Industrial grade

※ Taiwan motor
※ Silver alloy switch for durability
※ Hight speed, high torque
※ Cold-pressed axis for steady and straight operation
※ Ergonomic dual-colour non-slip handle

Item# C0043 SEMI-AUTO ELECTRIC SCREWDRIVER
Item# C0044 FULL-AUTO ELECTRIC SCREWDRIVER
Item# C0045 AC-DIRECT PLUG-IN ELECTRIC SCREWDRIVER



ITEM#	INPUT VOLTAGE (AC/DC-V)	OUTPUT TORQUE (kgf.cm)	NO LOAD SPEED (rpm)	BITS APPLICABLE (mm)	QTY.
C0043-04	DC-36V	2~15	1300	Φ4	20PCS
C0043-05	DC-36V	2~25	1400	Φ5	20PCS
C0043-06	DC-36V	3~35	1100	Φ6	20PCS
C0043-1/4	DC-36V	3~35	1100	ΦSS1/4	20PCS
C0044-04	DC-36V	2~15	1300	Φ4	20PCS
C0044-05	DC-36V	2~25	1400	Φ5	20PCS
C0044-06	DC-36V	3~35	1100	Φ6	20PCS
C0044-1/4	DC-36V	3~35	1100	ΦSS1/4	20PCS
C0045-05	AC-200~240V	2~20	1000	Φ5	20PCS
C0045-06	AC-200~240V	3~28	900	Φ6	20PCS
C0045-1/4	AC-200~240V	3~28	900	ΦSS1/4	20PCS
C0043-04D	DC-36V	2~15	1300	Φ4	20PCS
C0043-05D	DC-36V	2~25	1400	Φ5	20PCS
C0043-06D	DC-36V	3~35	1100	Φ6	20PCS
C0043-1/4D	DC-36V	3~35	1100	ΦSS1/4	20PCS
C0044-04D	DC-36V	2~15	1300	Φ4	20PCS
C0044-05D	DC-36V	2~25	1400	Φ5	20PCS
C0044-06D	DC-36V	3~35	1100	Φ6	20PCS
C0044-1/4D	DC-36V	3~35	1100	ΦSS1/4	20PCS

Electric screwdriver 700A

ITEM NO.	SIZE	BOX(CTN/PCS)
C0048-05	Φ5	
C0048-06	Φ6	
C0048-1/4	ΦS1/4	

Variable frequency power controller

- Inverter dc design saves electricity and environment friendly
- Super strong start and high anti-stall torque
- Automatic constant current control allows screwdriver to perform smoothly and prolongs its working life
- High power, long life, new style

ITEM NO.	SIZE	BOX(CTN/PCS)
C0046-80	80W	-/20
C0046-160	160W	1/50

Soldering station

Input voltage: 110/220VAC Elective 50/60Hz
Output voltage: 24V Power: 60W
Max.instant power≤60W Temperature range: 200-480℃
Bits earth resistance: <2Ω Bits drain voltage: <2mV

ITEM NO.	SIZE	BOX(CTN/PCS)
C0936	60W	

INDUSTRIAL LEVEL ELECTRIC SCREWDRIVER

※Ergonomic handle bar,heat resistant,shock-proof and comfirtable to hold
※Super stable torque control even at the minimum torque position of 0.5 kgf.cm with accuracy up to ± 5%
※Our compact high quality power controller with stepless speed control allows the machine to run for a long time with no worry of over heat and without much noise
※Speed ranges from 500 rpm/min.to 1400 rpm/min.
※High-tech precision DC motor from Taiwan ensures steady and effecient operation
※Best used on toy,home appliance,furniture and other product assembly lines

1

2

3

PATENTED

C-MART 90 DAYS Guaranteed Motor Life

ITEM#	INPUT VOLTAGE (AC/DC-V)	OUTPUT TORQUE (kgf.cm)	NO LOAD SPEED (rpm)	BITS APPLICABLE (mm)
C0049-04	DC-36V	2~15	900-1400	Φ4
C0049-05	DC-36V	2~25	1000-1500	Φ5
C0049-06	DC-36V	5~35	700-1200	Φ6
C0049-1/4	DC-36V	5~35	700-1200	ΦSS1/4

Cordless screwdriver

NEW!

Input voltage	12V
Rated power	30Wh
Weight	200g
Battery life	500/times
Battery capacity	2000mAh
Specs.	36x39x80(h)

ITEM NO.	SIZE	BOX(CTN/PCS)
W0032	1/4"	

Cordless screwdriver-mini type

NEW!

The smallest screwdriver in the world with torque adjustment function
Torque range: 0.01N.m~0.3N.m
Charging mode: wireless and plug in selectable
Easy to carry and store
Unique clutch release machinism to protect screws from damage

Torque adjustment	stepless
Torque	0.01~0.1(0.1~1)
No load speed	250
Battery capacity	350mAh
Weight	60
Specs.	130x8

ITEM NO.	SIZE	BOX(CTN/PCS)
W0047	1/2"	